

SUBMITTAL: SECURITY/DETENTION FIRE EXTINGUISHER, VALVE AND HOSE CABINETS

JL security and detention cabinets for fire extinguishers, fire hoses or fire department valves are constructed to meet maximum security requirements in areas where fire protection is required. All recessed models have heavy-duty masonry anchors welded to the frame and a wide selection of lock preps and locks.



SSFC-31DDPI-17.D
Stainless steel, flat
trim, with Detention
Deadbolt Airteq
5010 Installed



SFC-11DDPP-17.A
Steel, white, Flat trim, with
Detention Deadbolt Prep for
Airteq 5010

SPECIFICATIONS:

Door & Trim: 12 gauge (0.27 cm) steel with white powder coat finish or 14 gauge #4 satin finish stainless door. Flush cabinet doors are mounted in a 5/8" door stop and attached by a heavy-duty continuous hinge.

Trim Style & Depth: 1" wide trim on frame. Recessed with flat trim, Semi-recessed with 2-1/2" deep profile square trim or Surface-mount model with square edge.


Tub: Tubs are the same material and finish as the frame. Heavy duty masonry anchors provided on recessed & semi recessed models. Knockouts provided on recessed models.

Locks: See page 2 and 3 for lock and lock prep choices.

Fire-Rated: This cabinet is available as fire-rated. See the Security FX Cabinet Submittal.

CABINET DESCRIPTION, SIZE & WALL OPENING TABLE—PLEASE USE SELECTION TABLE ON PAGE 2, TO ORDER												
TRIM & DOOR MATERIAL & SERIES			TUB I.D. W x H x D—inches			WALL OPENING inches			KNOCKOUT LOCATIONS		APPROX SHIP WT	RECOMMENDED HOSE, RACK & EXTINGUISHER
STEEL	STAINLESS	TRIM STYLE	A	B	C	Width	Height	Depth	J	G	lbs	
SECURITY FIRE EXTINGUISHER CABINETS (SFC)												
SFC-11	SSFC-31	Flat Trim	10-¾	24	7	11-½	25	7½	--	--	25	Cosmic & Galaxy 2.5-10, Mercury 2.5-5, Sentinel 5 Extinguisher Any Cosmic, Galaxy, Mercury Saturn 15, Sentinel 5 Extinguisher
SFC-12	SSFC-32	2-½" Square Trim	10-¾	24	7	11-½	25	5	--	--	26	
SFC-13	SSFC-33	Surface Mount Sq.	13	26-½	8	--	--	--	--	--	26	
SFC-15	SSFC-35	Flat Trim (Lg. Tub)	12	27	8-½	13	28	9½	--	--	33	
SFC-16	SSFC-36	2-½" Square Trim (Lg. Tub)	12	27	8-½	13	28	6-½	--	--	34	
SFC-17	SSFC-37	Surface Mount Sq. (Lg. Tub)	14-½	29-½	10	--	--	--	--	--	34	
SECURITY VALVE CABINETS (SVC)												
SVC-11	SSVC-31	Flat Trim	18	18	8-½	19	19	9	5	5	32	1-½" or 2-½" Fire Department Valve
SVC-12	SSVC-32	2-½" Square Trim	18	18	8-½	19	19	6-½	4-¾	4-¾	33	
SVC-13	SSVC-33	Surface Mount Sq.	20-½	20-½	10	--	--	--	--	--	33	
SECURITY HOSE CABINETS (SHC)												
SHC-11	SSHC-31	Flat Trim	32-¾	34-¾	8	33-¾	35-¾	8-¾	4	4	88	1-½" or 2-½" Hose Rack, & Extinguisher, or Fire Department Valve & Extinguisher
SHC-12	SSHC-32	2-½" Square Trim	32-¾	34-¾	8	33-¾	35-¾	6	4	4	95	
SHC-13	SSHC-33	Surface Mount Sq.	36-¾	38-¾	8	--	--	--	--	--	104	

All Model Numbers Shown in Blue Text meet the 4" ADA projection requirement



 JL INDUSTRIES	Distributor:		Project:	
	Contractor:		Approved By:	
	Date:	Quantity:	Architect:	
	Scale: N/A	Pages: 1 of 3	Item #	

© 2023 Activar Construction Products Group, Inc. THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OF AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. IS PROHIBITED. 11/30/2023



FOR MORE INFORMATION CALL 1-888-926-1365

Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com

SUBMITTAL: SECURITY/DETENTION FIRE EXTINGUISHER, VALVE AND HOSE CABINETS

PAGE 2 OF 3

Select Material, Series, Finish & Trim Style Below - Example SFC-11MCP-02.A.4

Qty	Material	Series	Finish	Trim Style
☐	S Steel 12ga	☐ FC Non-Rated FE Cabinet	☐ 1 Powdercoat	☐ 1 Flat Square
☐	SS 304 Stainless 14ga		☐ 3 #4 Stainless	☐ 2 2-1/2" Square
				☐ 3 Surface-mount
				☐ 5 Flat Square, Lg. Tub
				☐ 6 2 1/2" Square, Lg. Tub
				☐ 7 Surface-mount, Lg. Tub
		☐ VC Non-Rated Valve Cabinet	☐ 1 Powdercoat	☐ 1 Flat Square
			☐ 3 #4 Stainless	☐ 2 2-1/2" Square
				☐ 3 Surface-mount
		☐ HC Non-Rated Hose Cabinet	☐ 1 Powdercoat	☐ 1 Flat Square
			☐ 3 #4 Stainless	☐ 2 2-1/2" Square
				☐ 3 Surface-mount

Select Lock Type & Prep, Finish Color, Silkscreen or Engraved Lettering

Lock Type		
☐ MCP		Prepped for Cylinder Lock
☐ MCP-02	Mortise Cam Latch	Installed- Kaba Ilco Cylinder Lock w/Std Cam Other: Model & Mfg: _____
☐ MDP		Prepped for Cylinder Lock
☐ MDP-03	Mortise Deadbolt	Installed- Kaba Ilco Cylinder Lock w/Adams Rite Cam
☐ MDP-07		Installed- Temporary Construction Core Best Cylinder w/Std Cam Other: Model & Mfg: _____
☐ DSPP-25		Prepped for Airteq 5017 Lock
☐ DSPI-25	Detention Slam Lock	Installed- Airteq 5017 Lock Other: Model & Mfg: _____
☐ DDPP-17		Prepped for Airteq 5010 Lock
☐ DDPI-17	Detention Deadbolt	Installed w Airteq 5010 Lock Other: Model & Mfg: _____
☐ MLPP-19	Mogul Detention	Prepped for Airteq Mogul Lock 5010M
☐ MLPI-19	Deadbolt	Installed- Airteq Mogul Lock 5010M Other: Model & Mfg: _____

Finish Color	
☐ A	White (Std)
☐ B	Black
☐ C	Red
☐ D	Stainless
☐	Other Color

Optional Silkscreen/Engraved Lettering (Stainless—Engraving Only)	
☐ 1	ENFELVB Engraving, Fire Extinguisher Lettering, Vertical, Black
☐ 2	ENFELVR Engraving, Fire Extinguisher Lettering, Vertical, Red
☐ 3	SSFELVB Silk Screen, Fire Extinguisher Lettering, Vertical, Black
☐ 4	SSFELVR Silk Screen, Fire Extinguisher Lettering, Vertical, Red
☐ 5	ENFELVW Engraving, Fire Extinguisher Lettering, Vertical, White
☐ 6	SSFELVW Silk Screen, Fire Extinguisher Lettering, Vertical, White
☐ 7	SSFELHR Silk Screen, Fire Extinguisher Lettering, Horizontal, Red
☐ 8	SSFELHB Silk Screen, Fire Extinguisher Lettering, Horizontal, Black
☐ 9	SSFELHW Silk Screen, Fire Extinguisher Lettering, Horizontal, White

Note: For other locks not listed (prepped or installed), manufacturer may require a sample of the lock. See page 3 for more lock details

Accessories at additional cost, SOLD SEPARATELY (see separate submittal)

☐ FDVO Decal Fire Department Valve Octagonal 6 x 6"	☐ Black Vertical FE Letters LDCVBFE
☐ 1403 Decal Fire Hose Black/Red Horizontal Letters 4" x 9"	☐ Red Vertical FE Letters LDCVRFE
☐ LDCHRFDV-R Diecut Fire Dept. Valve Horizontal 10-1/4" x 4-3/8"	☐ White Vertical FE Letters LDCVWFE
☐ LDCVRFDV Diecut Fire Dept Valve Vertical 3/4" x 21 1/2"	☐ Black Horizontal FE Letters LDCHBFE
☐ LDCVRFDV-R Diecut Fire Dept Valve Vertical Reverse 3/4" x 21 1/2"	☐ Red Horizontal FE Letters LDCHRFE
☐ LDCHRFDV Diecut Fire Department Valve Ascending 1" x 17"	☐ White Horizontal FE Letters LDCHWFE
☐ LDCVRFSCV-R Diecut Fire Sprinkler Control Valve Vertical .3/4" x 18"	☐ Custom Engraved or Silkscreen Lettering

(Check Here and Attach Separate Submittal to Order)

© 2023 Activar Construction Products Group, Inc.

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION IS PROHIBITED.

Note: For other locks not listed (prepped





FOR MORE INFORMATION CALL 1-888-926-1365

Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com

SUBMITTAL: SECURITY/DETENTION FIRE EXTINGUISHER, VALVE AND HOSE CABINETS

PAGE 3 OF 3



MORTISE CAM LATCH

MCP: Prepped for mortise cylinder lock by others. Cylinder lock must be: 1-1/8" diameter x 1-1/4" long mortise cylinder with standard cam. Cylinders by others require threaded locknut ring.

MCP-02: Includes installed mortise cylinder Kaba Ilco 7205SC1, 1-1/8"Dia x 1-1/4" long mortise cylinder with standard cam (PN: 06431), 2 keys (PN: 06431-KEY) and lock nut ring (PN: 0646).




MORTISE DEADBOLT

MDP: Prepped for mortise deadbolt cylinder lock by others. Cylinder lock must be: 1-1/8" diameter x 1-1/4" long mortise cylinder with Adams Rite cam. Longer lengths require adjustable lock collar (PN: SL-ALC).

MDP-03: Includes installed Kaba Ilco 7205SC2, 1-1/8" x 1-1/4" long mortise cylinder with Adams Rite cam (PN: 06441) and includes 2 keys (PN: 06431-KEY).


MDP-07: Includes installed temporary construction core mortise deadbolt cylinder Best 1E74C181RP3626, 1-1/8" diameter x 1-1/4" long mortise cylinder with C181 Adam Rite cam (PN: SL-1E74). Operation key (PN: 040004) & control key (PN: 040005) to remove the construction core ordered separately.



DETENTION SLAM LOCK

DSPP-25: Prepped for detention slam lock Airteq 5017 with standard bevel by others.

DSPI-25: Includes installed Airteq 5017 medium security for slam-locking with stainless steel latchbolt 1" x 7/16" bolt throw (PN: DDI-5017). Keys sold separately (PN: DDK-5017).



DETENTION DEADBOLT

DDPP-17: Prepped for detention deadbolt lock Airteq 5010. This mounting also accommodates Southern Folger 1010A.

DDPI-17: Includes installed Airteq 5010, medium security deadbolt, with zinc plated steel bolt 1-1/2" x 3/4" and 5/8" bolt throw (PN: DDI-5010). Keys sold separately (PN: DDK-5010).



DETENTION DEADBOLT MOGUL LOCK

MLPP-19: Prepped for detention deadbolt with mogul cylinder Airteq 5010M.

MLPI-19: Includes installed Airteq 5010M medium security deadbolt with mogul key cylinder, zinc plated steel bolt 1-1/2" x 1/2" and 5/8" throw (PN: DDI-5010M). Includes 2 keys (PN: DDK-5010M).

It is the responsibility of the customer to communicate specifications and product performance requirements that are needed for their application. This document is intended to convey potential product configurations and offerings. It is not to be used to imply or represent a specification or rating, of finished products shipped. Detailed, specific submittals can be created upon request. It is the responsibility of the customer to specify product accordingly to comply with local laws, codes, and ordinances.

© 2023 Activar Construction Products Group, Inc.

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF ACTIVAR CONSTRUCTION PRODUCTS GROUP, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION IS PROHIBITED.



FOR MORE INFORMATION CALL 1-888-926-1365

Superior Specialty Supply • 9 Council Drive • PO Box 417 • Woodsboro, MD 21798 • www.sssupply.com